Author Index Vols. 556 and 557

Abu-Lafi, S., see Levin, S. 556(1991)277
Ader, J. C., see Halvorsen, K. 557(1991)501
Akapo, S. O. and Simpson, C. F.
Structural investigation of oligomeric *n*-octylsilyl reversed phases 557(1991)515
Åkesson, J., see Karlsson, L. 557(1991)99
Alajbeg, A., Todorić, A., Švel-Cerovečki, S. and Šušterčić, M.
Gas chromatography and gas chromatography–mass spectrometry study of hydrocarbons in Vlasta oil (Adriatic Basin) as the basis for geochemical interpretation 557(1991)255
Albert, K., see Unger, K. K. 556(1991)395
Altomare, C., see El Tayar, N. 556(1991)181
Antia, F. D. and Horváth, C.
Analysis of isotachic patterns in displacement chromatography 556(1991)119
Arm, H., see Brügger, R. 557(1991)163
Aubert, M.-C., Lee, C. R., Krstulović, A. M., Lesellier, E., Péchard, M.-R. and Tchapla, A.
Separation of *trans*/*cis* α- and β-carotenes by supercritical fluid chromatography. I. Effects of temperature, pressure and organic modifiers on the retention of carotenes 557(1991)47
Balconi, L., see Blo, G. 556(1991)249
Bartle, K. D., Baulch, D. L., Clifford, A. A. and Coleby, S. E.
Magnitude of the diffusion coefficient anomaly in the critical region and its effect on supercritical fluid chromatogrpahy 557(1991)69
Baulch, D. L., see Bartle, K. D. 557(1991)69
Bayer, E., see Unger, K. K. 556(1991)395
Becue, T. and Broquaire, M.
Confirmation of the structure of by-products in the synthesis of Modafinil by liquid chromatography–mass spectrometry 557(1991)489
Bentrop, D. and Engelhardt, H.
Chromatographic characterization of ion exchangers for high-performance liquid chromatography of proteins. I. Chromatographic determination of loading capacity for low- and high-molecular mass anions 556(1991)363
Berthod, A., Borgerding, M. F. and Hinze, W. L.
Investigation of the causes of reduced efficiency in micellar liquid chromatography 556(1991)263
Betz, W. R. and Lambiase, S. J.
Dynamic gas–solid chromatographic techniques for characterizing carbon molecular sieves 556(1991)433
Bézard, J. A., see Semporé, B. G. 557(1991)227
Bianchi, A. P., Varney, M. S. and Phillips, J.
Analysis of industrial solvent mixtures in water using a miniature purge-and-trap device with thermal desorption and capillary gas chromatography–mass spectrometry 557(1991)429
Bianchi, E., see Pessi, A. 557(1991)307
Biggs, W. B., see Jinno, K. 557(1991)459
Blanco, R., see Lin, S. 557(1991)369
Blo, G., Remelli, M., Pedrielli, F., Balconi, L., Sigon, F. and Dondi, F.
Peak-shape analysis and noise evaluation in suppressed ion chromatography for ultra-trace ion analysis 556(1991)249
Borgerding, M. F., see Berthod, A. 556(1991)263
Bourell, J., see Frenz, J. 557(1991)289
Brinkman, U. A. T., see Steijger, O. M. 557(1991)13
Broquaire, M., see Becue, T. 557(1991)489
Brügger, R., Krähenbühl, P., Marti, A., Straub, R. and Arm, H.
Chiral π-donor stationary phases with (*R*)-N-pivaloylnaphthylethylamide groups for direct enantiomer separation by gas, liquid and supercritical fluid chromatography 557(1991)163
Budzinski, H., see Sellier, N. 557(1991)451
Burke, III, J. A., see Pirkle, W. H. 557(1991)173
Carr, P. W., see Lucy, C. A. 556(1991)159
Caude, M., see Villermet, A. 557(1991)85
Cazaussus, A., see Sellier, N. 557(1991)451
Cecil, T. L. and Rutan, S. C.
Fluorescence detection in liquid chromatography with an intensified diode-array detector 556(1991)495
Chevalier, A., see Dorbon, M. 557(1991)155
Chiappinelli, L., see Pessi, A. 557(1991)307
Choma, J., see Witkiewicz, Z. 556(1991)441
Chrétien, J. R., see Righezza, M. 556(1991)169
Chrétien, J. R., see Soják, L. 557(1991)241
Churáček, J., Pechová, H., Horna, A., Kotrla, R. and Ventura, K.
Chromatographic trace analysis of some organic compounds in the environment using derivatization–sorption concentration techniques. I. Gas chromatographic analysis of acrylates in air 557(1991)523

Clifford, A. A., see Bartle, K. D. 557(1991)69
Cole, R. O., Sepaniak, M. J., Hinze, W. L., Gorse, J. and Oldiges, K.
Bile salt surfactants in micellar electrokinetic capillary chromatography. Application to hydrophobic molecule separations 557(1991)113
Coleby, S. E., see Bartle, K. D. 557(1991)69
Colin, H., Hilaireau, P. and Martin, M.
Flip–flop elution concept in preparative liquid chromatography 557(1991)137
Crocq, A., see Fougnion, J. M. 556(1991)287
Czok, M., see Katti, A. M. 556(1991)205
Darbellay, C., see Slacanin, I. 557(1991)391
David, C., see Fougnion, J. M. 556(1991)287
De Jong, G. J., see Steijger, O. M. 557(1991)13
Delabays, N., see Slacanin, I. 557(1991)391
Dondi, F., see Blo, G. 556(1991)249
Dorbon, M., Lamaison, S. and Chevalier, A.
Simulated distillation of distillates on capillary columns: influence of the polarity of the stationary phase 557(1991)155
Drawert, F., see Nitz, S. 557(1991)187
Eckardt, C. B., Keely, B. J. and Maxwell, J. R.
Identification of chlorophyll transformation products in a lake sediment by combined liquid chromatography–mass spectrometry 557(1991)271
El Fallah, M. Z. and Martin, M.
Quantitative determination limit in chromatography: computer-based simulations 557(1991)23
El Tayar, N., Tsai, R.-S., Vallat, P., Altomare, C. and Testa, B.
Measurement of partition coefficients by various centrifugal partition chromatographic techniques. A comparative evaluation 556(1991)181
Engelhardt, H., see Bentrop, D. 556(1991)363
Fanali, S., see Pessi, A. 557(1991)307
Farkaš, P., see Soják, L. 557(1991)241
Fernández Cruz, E., see Ramis, I. 577(1991)507
Fernández-Sánchez, E., Fernández-Torres, A., García-Domínguez, J. A. and Salvador-Moya, M. D.
Gas chromatographic comparative study of superox 20M immobilized in different ways 556(1991)485
Fernández-Torres, A., see Fernández-Sánchez, E. 556(1991)485
Fetzer, J. C., see Jinno, K. 557(1991)459
Fougnion, J. M., David, C., Crocq, A. and Genty, C.
Optimisation pentaparamétrique de la résolution en chromatographie phase gazeuse par la technique du diagramme à fenêtres. Cas du couplage de deux colonnes 556(1991)287
Frenz, J., Quan, C. P., Hancock, W. S. and Bourell, J.
Characterization of a tryptic digest by high-performance displacement chromatography and mass spectrometry 557(1991)289
García-Domínguez, J. A., see Fernández-Sánchez, E. 556(1991)485
Gaspar, G.
High-speed gas chromatography. Theoretical and practical aspects 556(1991)331
Gelpí, E., see Ramis, I. 577(1991)507
Genty, C., see Fougnion, J. M. 556(1991)287
Ghodbane, S., Oweimreen, G. A. and Martire, D. E.
Thermodynamics of solution of non-mesomorphic solutes at infinite dilution in the smectic-A, nematic and isotropic phases of *p-n*-octyl-*p'*-cyanobiphenyl. A gas–liquid chromatographic study 556(1991)317
Gilpin, R. K. and Wu, L.
Use of the reordering/resolvation of alkyl-modified silica to characterize the microscopic heterogeneity of silica via liquid chromatography 556(1991)415
Gómez, G., see Ramis, I. 577(1991)507
González, M. J., see Tabera, J. 557(1991)481
Gorse, J., see Cole, R. O. 557(1991)113
Grajek, H., see Witkiewicz, Z. 556(1991)441
Guiochon, G., see Katti, A. M. 556(1991)205
Halvorsen, K., Ader, J. C., Rico, I. and Lattes, A.
Analyse par chromatographie en phase gazeuse de la réaction de macrolactonisation de Mukaiyama 557(1991)501
Hancock, W. S., see Frenz, J. 557(1991)289
Hansen, S. H. and Tjørnelund, J.
High-performance liquid chromatography on dynamically modified silica. IX.Modification of silica with 3-(N,N-dimethylpalmityl-ammonium) propanesulphonate for reversed-phase chromatography 556(1991)353
Haraguchi, H., see Hu, W. 557(1991)441
Hatano, H., see Imoto, T. 557(1991)383
Hearn, M. T. W., see Johnston, A. 557(1991)335
Hein, S. J., Piepmeier, E. H. and Thomas, L. C.
Laser-excited fluorescence detection of gas-phase chromatography eluates 557(1991)39
Hernández, L. M., see Tabera, J. 557(1991)481
Heron, S. and Tchapla, A.
Description of retention mechanism by solvophobic theory. Influence of organic modifiers on the retention behaviour of homologous series in reversed-phase liquid chromatography 556(1991)219
Hilaireau, P., see Colin, H. 557(1991)137

Hinze, W. L., see Berthod, A. 556(1991)263
Hinze, W. L., see Cole, R. O. 557(1991)113
Holthuis, J. J. M., see Steijger, O. M. 557(1991)13
Horna, A., see Churáček, J. 557(1991)523
Horváth, C., see Antia, F. D. 556(1991)119
Hostettmann, K., see Slacanin, I. 557(1991)391
Hu, W., Haraguchi, H. and Takeuchi, T.
Analysis of nucleotides by high-performance liquid chromatography with phosphorus-selective detection 557(1991)441
Imoto, T., Yamamoto, F. M., Miyasaka, A. and Hatano, H.
High-performance liquid chromatography–atmospheric pressure ionization mass spectrometry of gymnemic acids 557(1991)383
Janák, J., see Soják, L. 557(1991)241
Jandera, P. and Rozkošná, J.
Method for characterization of selectivity in reversed-phase liquid chromatography. V. Calibration of the retention scale for chromatographic systems with low concentrations of organic solvents in the mobile phase 556(1991)145
Jelínek, I., Snopek, J. and Smolková-Keulemansová, E.
Influence of counter-ion inclusion complexation on the quality of cyclodextrin-supported separations in isotachophoresis 557(1991)215
Jelínková, M., see Kuchař, M. 557(1991)399
Jeng, C.-Y. and Langer, S. H.
Hydroquinone oxidation kinetics in adsorptive liquid chromatographic beds 556(1991)383
Jiménez, B., see Tabera, J. 557(1991)481
Jinno, K., Saito, Y., Malhan née Chopra, R., Pesek, J. J., Fetzer, J. C. and Biggs, W. B.
Retention behaviour of polycyclic aromatic hydrocarbons on a liquid-crystal bonded phase in reversed-phase liquid chromatography 557(1991)459
Jinno, K., see Okamoto, M. 556(1991)407
Johnston, A. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXIV. Protein interactions with porous coulombic sorbents: comparison of experimental findings with predictions of several adsorption models 557(1991)335
Jönsson, J. Å., see Karlsson, L. 557(1991)99
Juvet, Jr., R. S., see Lundeen, J. T. 556(1991)305
Karger, B. L., see Lin, S. 557(1991)369
Karlsson, L., Mathiasson, L., Åkesson, J. and Jönsson, J. Å.
Quantitative aspects of the determination of compounds with widely varying polarity using capillary supercritical fluid chromatography 557(1991)99
Katsanos, N. A. and Vassilakos, C.
Theoretical analysis for measurement of building pollution parameters by gas chromatography 557(1991)469
Katti, A. M.
Experimental study on the effect of the sample size on the band profile for a binary mixture showing no competitive interaction 556(1991)195
Katti, A. M., Czok, M. and Guiochon, G.
Prediction of single and binary profiles in overloaded elution chromatography using various semi-ideal models 556(1991)205
Keely, B. J., see Eckardt, C. B. 557(1991)271
Kirchberger, J., Kopperschläger, G. and Vijayalakshmi, M. A.
Dye–ligand affinity partitioning of lactate dehydrogenase isoenzymes 557(1991)325
Kirkland, J. J., see Yau, W. W. 556(1991)111
Kollie, T. O. and Poole, C. F.
Influence of solute size and the non-polar interaction term on the selection of test solutes for the classification of stationary phase selectivity in gas chromatography 556(1991)457
Kollmannsberger, H., see Nitz, S. 557(1991)187
Kopperschläger, G., see Kirchberger, J. 557(1991)325
Kotrla, R., see Churáček, J. 557(1991)523
Krähenbühl, P., see Brügger, R. 557(1991)163
Kraus, E., see Kuchař, M. 557(1991)399
Krstulović, A. M., see Aubert, M.-C. 557(1991)47
Krstulović, A. M., see Lesellier, E. 557(1991)59
Kuchař, M., Kraus, E. and Jelínková, M.
Influence of mobile phase composition on evaluation of lipophilicity by partition chromatography 557(1991)399
Lamaison, S., see Dorbon, M. 557(1991)155
Lambiase, S. J., see Betz, W. R. 556(1991)433
Langer, S. H., see Jeng, C.-Y. 556(1991)383
Lattes, A., see Halvorsen, K. 557(1991)501
Lebon, M., see Sellier, N. 557(1991)451
Lee, C. R., see Aubert, M.-C. 557(1991)47
Lee, C. R., see Lesellier, E. 557(1991)59
Lenhoff, A. M., see Shankar, A. 556(1991)235

Lesellier, E., Tchapla, A., Péchard, M.-R., Lee, C. R. and Krstulović, A. M.
Separation of *trans*/*cis* α- and β-carotenes by supercritical fluid chromatography. II. Effect of the type of octadecyl-bonded stationary phase on retention and selectivity of carotenes 557(1991)59
Lesellier, E., see Aubert, M.-C. 557(1991)47
Levin, S. and Abu-Lafi, S.
Adsorption isotherms of phenylalanine in a chromatographic column measured simultaneously by system peaks analysis and frontal analysis 556(1991)277
Lin, S., Blanco, R. and Karger, B. L.
Adsorption–desorption isotherm hysteresis of β-lactoglobulin A with a weakly hydrophobic surface 557(1991)369
Lork, K. D., see Unger, K. K. 556(1991)395
Lucy, C. A. and Carr, P. W.
Analysis of the separability of plate height into overload and intrinsic contributions using the kinetic model of non-linear chromatography 556(1991)159
Lundeen, J. T. and Juvet, Jr., R. S.
Quantitative resolution of severely overlapping gas chromatographic peaks. Isothermal and temperature-programmed operation 556(1991)305
Malhan née Chopra, R., see Jinno, K. 557(1991)459
Marston, A., see Slacanin, I. 557(1991)391
Marti, A., see Brügger, R. 557(1991)163
Martin, M., see Colin, H. 557(1991)137
Martin, M., see El Fallah, M. Z. 557(1991)23
Martire, D. E., see Ghodbane, S. 556(1991)317
Mathiasson, L., see Karlsson, L. 557(1991)99
Maxwell, J. R., see Eckardt, C. B. 557(1991)271
Miller, M., see Pesek, J. J. 556(1991)373
Mills, T. A. and Phillips, C. S. G.
Study of salt hydrates by gas–solid chromatography 557(1991)495
Miyasaka, A., see Imoto, T. 557(1991)383
Nardi, A., see Pessi, A. 557(1991)307
Nayak, V. S.
New solid adsorbents for the separation of lower hydrocarbons and permanent gases. II. Ammonium molybdophosphate 556(1991)425
Nitz, S., Kollmannsberger, H., Weinreich, B. and Drawert, F.
Enantiomeric distribution and $^{13}C/^{12}C$ isotope ratio determination of γ-lactones: appropriate methods for the differentiation between natural and non-natural flavours? 557(1991)187
Nobuhara, K., see Okamoto, M. 556(1991)407
Okamoto, M., Nobuhara, K. and Jinno, K.
Effect of silanol groups on heat-treated silicas by calcination and retention behaviour in high-performance liquid chromatography 556(1991)407
Oldiges, K., see Cole, R. O. 557(1991)113
Onodera, S.
Characterization and determination of organic compounds in the mutagenic XAD-2 extracts of drinking water 557(1991)413
Ostrovský, I., see Soják, L. 557(1991)241
Oweimreen, G. A., see Ghodbane, S. 556(1991)317
Péchard, M.-R., see Aubert, M.-C. 557(1991)47
Péchard, M.-R., see Lesellier, E. 557(1991)59
Pechová, H., see Churáček, J. 557(1991)523
Pedrielli, F., see Blo, G. 556(1991)249
Pesek, J. J., Vidensek, M. A. and Miller, M.
Synthesis of chemically bonded liquid crystals for high-performance liquid chromatography. New phases via the organochlorosilane pathway 556(1991)373
Pesek, J. J., see Jinno, K. 557(1991)459
Pessi, A., Bianchi, E., Chiappinelli, L., Nardi, A. and Fanali, S.
Application of capillary zone electrophoresis to the characterization of multiple antigen peptides 557(1991)307
Pfeffer, W. D. and Yeung, E. S.
Electroosmotically driven electrochromatography of anions having similar electrophoretic mobilities by ion pairing 557(1991)125
Pfleiderer, B., see Unger, K. K. 556(1991)395
Phillips, C. S. G., see Mills, T. A. 557(1991)495
Phillips, J., see Bianchi, A. P. 557(1991)429
Piepmeier, E. H., see Hein, S. J. 557(1991)39
Pietrzyk, D. J., see Yuan, D. 557(1991)315
Pirkle, W. H. and Burke, III, J. A.
Chiral stationary phase designed for β-blockers 557(1991)173
Plank, C., see Rizzi, A. M. 557(1991)199
Poole, C. F., see Kollie, T. O. 556(1991)457
Poppe, H.
New approach for calculating ideal chromatograms from arbitrary composite distribution isotherms 556(1991)95
Quan, C. P., see Frenz, J. 557(1991)289
Ramis, I., Roselló-Catafau, J., Gómez, G., Zabay, J. M., Fernández Cruz, E. and Gelpí, E.
Cyclooxygenase and lipoxygenase arachidonic acid metabolism by monocytes from human immune deficiency virus-infected drug users 577(1991)507
Remelli, M., see Blo, G. 556(1991)249
Rico, I., see Halvorsen, K. 557(1991)501

Righezza, M. and Chrétien, J. R.
Factor analysis and experimental design in high-performance liquid chromatography. XI. Factor analysis maps and chromatographic information 556(1991)169
Rizzi, A. M. and Plank, C.
Coupled column chromatography in chiral separations: systems employing β-cyclodextrin phases for chiral separation 557(1991)199
Roselló-Catafau, J., see Ramis, I. 577(1991)507
Rosset, R., see Villermet, A. 557(1991)85
Rozkošná, J., see Jandera, P. 556(1991)145
Rutan, S. C., see Cecil, T. L. 556(1991)495
Saito, Y., see Jinno, K. 557(1991)459
Salvador-Moya, M. D., see Fernández-Sánchez, E. 556(1991)485
Schmitter, J.-M.
Performances and limits of plasma desorption mass spectrometry in the primary structure determination of proteins 557(1991)359
Sellier, N., Cazaussus, A., Budzinski, H. and Lebon, M.
Structure determination of sesquiterpenes in Chinese vetiver oil by gas chromatography–tandem mass spectrometry 557(1991)451
Semporé, B. G. and Bézard, J. A.
Enantiomer separation by chiral-phase liquid chromatography of urethane derivatives of natural diacylglycerols previously fractionated by reversed-phase liquid chromatography 557(1991)227
Sepaniak, M. J., see Cole, R. O. 557(1991)113
Shankar, A. and Lenhoff, A. M.
Dispersion in round tubes and its implications for extra-column dispersion 556(1991)235
Sigon, F., see Blo, G. 556(1991)249
Simpson, C. F., see Akapo, S. O. 557(1991)515
Siouffi, A.-M.
Some aspects of optimization in planar chromatography (Review) 556(1991)81
Slacanin, I., Marston, A., Hostettmann, K., Delabays, N. and Darbellay, C.
Isolation and determination of flavonol glycosides from *Epilobium* species 557(1991)391
Smolková-Keulemansová, E., see Jelínek, I. 557(1991)215
Snopek, J., see Jelínek, I. 557(1991)215
Soják, L., Farkaš, P., Ostrovský, I., Janák, J. and Chrétien, J. R.
Capillary gas chromatography of C_5–C_{13} branched alkynes on squalane and liquid crystal stationary phases 557(1991)241
Steijger, O. M., De Jong, G. J., Holthuis, J. J. M. and Brinkman, U. A. T.
On-line electrochemical reagent generation for liquid chromatography with luminol-based chemiluminescence detection 557(1991)13
Straub, R., see Brügger, R. 557(1991)163
Šušterčić, M., see Alajbeg, A. 557(1991)255
Švel-Cerovečki, S., see Alajbeg, A. 557(1991)255
Tabera, J., Jiménez, B., Hernández, L. M. and González, M. J.
Optimization of the gas chromatographic analysis of a standard mixture of polychlorodibenzo-*p*-dioxins and polychlorodibenzofurans 557(1991)481
Takeuchi, T., see Hu, W. 557(1991)441
Tchapla, A., see Aubert, M.-C. 557(1991)47
Tchapla, A., see Heron, S. 556(1991)219
Tchapla, A., see Lesellier, E. 557(1991)59
Testa, B., see El Tayar, N. 556(1991)181
Thiébaut, D., see Villermet, A. 557(1991)85
Thomas, L. C., see Hein, S. J. 557(1991)39
Tjørnelund, J., see Hansen, S. H. 556(1991)353
Todorić, A., see Alajbeg, A. 557(1991)255
Tsai, R.-S., see El Tayar, N. 556(1991)181
Unger, K. K., Lork, K. D., Pfleiderer, B., Albert, K. and Bayer, E.
Impact of acidic/hydrothermal treatment on pore structural and chromatographic properties of porous silicas. I. The conventional approach 556(1991)395
Valentin, P.
Is chromatography a separation process? The zonoid answer (Review) 556(1991)25
Vallat, P., see El Tayar, N. 556(1991)181
Varney, M. S., see Bianchi, A. P. 557(1991)429
Vassilakos, C., see Katsanos, N. A. 557(1991)469
Ventura, K., see Churáček, J. 557(1991)523
Vidensek, M. A., see Pesek, J. J. 556(1991)373
Vijayalakshmi, M. A., see Kirchberger, J. 557(1991)325
Villermet, A., Thiébaut, D., Caude, M. and Rosset, R.
Packed column supercritical fluid chromatography with carbon dioxide–polar modifiers. Influence of carbon dioxide density on retention 557(1991)85
Vitenberg, A. G.
Methods of equilibrium concentration for the gas chromatographic determination of trace volatiles (Review) 556(1991)1
Weinreich, B., see Nitz, S. 557(1991)187
Wičar, S.
Split injection into a capillary column at very low split ratios 557(1991)1

Witkiewicz, Z., Grajek, H. and Choma, J.
Chromatographic determination of the physico-chemical parameters of adsorption on active carbons 556(1991)441
Wu, L., see Gilpin, R. K. 556(1991)415
Yamamoto, F. M., see Imoto, T. 557(1991)383
Yau, W. W. and Kirkland, J. J.
Improved computer algorithm for characterizing skewed chromatographic band broadening. I. Method 556(1991)111
Yeung, E. S., see Pfeffer, W. D. 557(1991)125
Yuan, D. and Pietrzyk, D. J.
Separation and indirect detection of amino acids as acetylated derivatives 557(1991)315
Zabay, J. M., see Ramis, I. 557(1991)507